





Steel panels & gates



Security steel panel

1800MM OR 2100MM H x 2400MM W

- · Black powder coated galvanised steel
- Pressed spear top
- 6 weld points Superior silicone bronze welds
- Pickets: 25mm x 25mm 1.2mm wall thickness
- Rails: 40mm x 40mm 1.8mm wall thickness
- Spacings: 140mm centre to centre of picket



Security steel gate

1800MM OR 2100MM H x 975MM W

- · Black powder coated galvanised steel
- Pressed spear top
- 6 weld points Superior silicone bronze welds
- Pickets: 25mm x 25mm 1.2mm wall thickness
- Rails (Top/bottom & vertical stiles): 40mm x 40mm 1.8mm wall thickness
- · Mitred top corners
- Spacings: 140mm centre to centre of picket

Genuine AKZO Nobel powder coat





40x40mm punched rails allow pickets to pass through to provide a neat finish

Pressed spear top pickets













Steel gates & posts



Security steel 2450mm gate

1800MM OR 2100MM H X 2450MM W

- · Black powder coated galvanised steel
- · Pressed spear top
- 6 point welds Superior silicone bronze welds
- Pickets: 25mm x 25mm 1.2mm wall thickness
- Rails (Top/bottom & vertical stiles): 40mm x 40mm 1.8mm wall thickness
- Spacings: 140mm centre to centre of picket



65x65mm steel post

2400MM OR 2700MM H Black finish


- Black powder coated galvanised steel
- 65mm x 65mm
- Available in 2400mm and 2700mm high
- 2.5mm wall thickness
- Includes welded on 8mm thick base plate with 2x Ø13mm fixing holes use for base plated post fixing or bury into concrete for a superior anchor point



Steel gate converters

Black powder coated galvanised steel

- Easily convert standard security panels into a hinged gate
- Suits 1800mm and 2100mm high panels with 40x40mm horizontal rails
- Made from 50x50mm heavy duty galvanised steel box section - panel rails sleeve into converters
- · Design innovations:
- Polymer insert in separates panel from converter to avoid metal on metal rubbing
- Added security feature shear nuts. Once bolted tightened nut. Nut head snaps off leaving a difficult to untighten cone shaped head only



100mm





Security panel brackets

Panel brackets (A)

- Suits 40 x 40mm rail
- 4 pack (2 x left & 2 x right brackets)
- Hot dip galvanised steel powder coated black
- Includes 14 x tek screws
- No visible fixing from outside of property
 visually appealing & better security
- Easy & flexible install panel rail can move internal of bracket for optimal positioning prior to fixing off



Panel brackets (B)

- 40mm x 40mm aluminium panel brackets
- · Pack of 4 brackets
- 10 x tek screws included in pack
- Powder coated satin black



Panel brackets (C)

- Suits 40x40mm rails
- Made from galvanised steel powder coated black
- Designed for 75x75mm posts but also can be installed with 65x65 & 100x100mm posts
- 4 x fixing holes to post
- Fixings are on inside of fence
- Sold as a 4 pack. Includes 2 x left & 2 x right brackets (fixing screws sold separately)








Security sliding gate complete system






COMPLETE MATCHING ACCESSORIES SUCH AS GUIDE ROLLERS & STOPS











Accessory Examples:


Shut It™ heavy duty hinge

- D&D Technologies
- Heavy duty surface mount bolt on hinge
- Genuine D&D Technologies product
- Non self-closing; opens 180 degrees
- Steel zinc plated powder coated black
- Unique brushing design produces near frictionless movement with maintenance free usage
- Achieve gate gap as small as 14mm
- Features slotted holes alowing up to 13mm horizontal adjustment
- Rated to 250kg max per hinge



Hinges

- Bolt on ball bearing hinge pair
- Left and right hinges available
- Galvanised steel construction
- · Sturdy, long lasting hinges



Anti tamper screws

25 PACK

- 12G x25mm long button head anti-tamper screw.
- 10mm diameter button head
- · Black powder coated
- Respected "Pentaforce" brand



400mm drop bolt

- 400mm long
- Black powdercoat finish



